

**ACER**



Agency for the Cooperation  
of Energy Regulators



## **Monitoring of the MACZT (70% target)**

**Update**

**ACER**

**MESC meeting  
17 June 2020**

## Background

- EC and NRAs are the enforcing authorities to ensure compliance with the 70% target.
- Within the scope of its monitoring activities ACER will continue monitoring the level of MACZT, in line with the Agency's Recommendation No 01/2019
- Taking stock of lessons learnt from last year, ACER made an enhanced data request to TSOs through ENTSO-E
- TSOs were required to provide detailed data by 31 July for data covering the first semester of 2020.

## The dry-run

- As part of the data request, a voluntary dry-run was envisaged, aiming to anticipate data quality issues and streamline ACER's tools to compute MACZT
- More than 20 TSOs participated to the dry-run
- Expected evolution on data quality based on the dry-run:
  - » Reasonably good quality for the CWE region
  - » Important room for improvement where NTC applies, although some quality improvements were observed (e.g. CZ, PL, ES, FR, FI and part of DE)
  - » Significant room for improvement in the Nordic countries (confidentiality issues in SE)
  - » The Baltics seem to face region-specific issues to provide CNEC data

## Next steps

- We expect to receive data of sufficient data quality covering the first semester of 2020, by 31 July 2020
- Some time will be necessary to:
  - » Address potential data quality issues
  - » Enhance the custom-developed software we use to monitor MACZT
  - » Perform the analysis
- We aim to release a dedicated deliverable (separately from the main market monitoring report) by the end of 2020.